

#### No. SDHL1711022919FB

Date: Nov.07, 2017 Page 1 of 4

ZHONG SHAN LIN-YANG PLASTICS CO., LTD

NO.22, YIXIAN ROAD, HUOJU DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE, CHINA.

The following sample(s) was / were submitted and identified on behalf of the client as:

- Sample Description: PVC RUBBER COATED FABRICSGS Ref. No.: GZIN1710051885PSSample Receiving Date: Nov.01, 2017
- Test Performing Date
- : Nov.01, 2017 to Nov.07, 2017

## **Test Result Summary**

No.	Test(s) Requested	Result(s)	Comments			
1	flammability testing procedure for solids and soft toys as per Annex A6 of ASTM F 963 - 16 Standard Consumer Safety Specification for Toy Safety	PASS	/			
For further details, please refer to the following page(s)						

Signed for and on behalf of Shunde Branch SGS-CSTC Co., Ltd.

Kevin Pan Approved signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@segs.com** 

1后,<sup>11</sup>BuildingEuropean Industria Park, Mo.1 Shunhe South Road, Wisha Section, Dalarg Town, Shunde, Fostan, Giangdong, China 528333 t (86-757)22805888 f (86-757)228058858 www.sgsgroup.com.cn 中国・广东・佛山市康德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805888 e sgs.china@sgs.com



## No. SDHL1711022919FB

Date: Nov.07, 2017

Page 2 of 4

# Test Conducted:

This test is conducted accordance with ASTM F 963 - 16 Standard Consumer Safety Specification for Toy Safety and the test procedure is specified in Annex A6- flammability testing procedure for fabrics.

### Sample details

Materials	Plain Surface Fabric
Area density	297 g/m <sup>2</sup>

## Precondition

Laundering condition	AATCC Home laundering fabrics prior to flammability testing to differentiate between durable and non-durable finishes-2007	
Conditioning	T: 105°C Duration: 30mins, then cool for 30mins in desiccator	

## Test results:

Average burn time (sec)		
Length( $\uparrow$ ) & Width( $\rightarrow$ )		
No average burn time		

# Conclusion: PASS

# Test Result Codes

#### For Plain Surface Fabric:

DNI = Did not Ignite; IBE = Ignited, but Extinguished.

#### For Raised Surface Textile Fabrics:

SF uc --Surface flash, under the stop thread, but does not break the stop thread.

SF pw --Surface flash, part way. No time shown because the surface flash did not reach the stop thread.

SF poi --Surface flash, at the point of impingement only (equivalent to "did not ignite" for plain surfaces).

\_\_\_ sec.-- Actual burn time measured by the timing device in 0.0 seconds.

**SF** --only Time in seconds, surface flash only. No damage to the base fabric.

**SFBB** --Time in seconds, surface flash base burn starting at places other than the point of impingement as a result of surface flash.

\_.\_ SFBB poi -- Time in seconds, surface flash base burn starting at the point of impingement.

**\_\_\_ SFBB poi\*** --Time in seconds, surface flash base burn possibly starting at the point of impingement. The asterisk is accompanied by the following statement: "Unable to make absolute determination as to source of base burns." This statement is added to the result of any specimen if there is a question as to origin of the base burn.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is enable(s) are refatined for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@gs.com

| 1f;f<sup>4</sup>BuildingEuropean Industrial Park/No.1ShunheSouth Read,WishaSexton,Dalang Town,ShunkeFushar,Gkangdong,Dina 528333 t (86-757)22805888 f (86-757)22805858 www.sgsgroup.com.cn 中国・广东・佛山市廠德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com



No. SDHL1711022919FB

Date: Nov.07, 2017

Page 3 of 4

## **Requirements:**

#### Plain surface fabric

(1) All specimens either did not ignite, or ignited but self extinguished, or any combination thereof.

(2) Average burn time is 3.5 s or greater.

If only 1 of 5 specimens ignites and burns the stop cord with a time of 3.5 s or more, samples are acceptable. If only 1 of 5 specimens ignites and burns the stop cord in less than 3.5 seconds, test another set of 5 specimens. Compute the average time of flame spread for all 10 specimens. If 2 or more of these specimens ignite and burn the stop cord, average the results from those specimens. If only 1 of the 10 specimens ignites and burns the stop cord, samples are acceptable.

#### Raised surface fabric

(1) All specimens either did not ignite, or ignited but self extinguished, or any combination thereof.

(2) Average burn time is 4 s or greater.

(3) Average burn time is less than 4 s and all specimens burn with a surface flash where the intensity of the surface flame is insufficient to ignite, char, or melt the base fabric.

(4) Only 1 of 5 specimens ignites and burns in less than 4s and the base fabric does not ignite or fuse, the sample is acceptable.

(5) Only 1 of 5 specimens ignites or burns in more than 4s, regardless of whether the base fabric ignites or fuses, the sample is acceptable. To compute the average time of flame spread for each set of 5 specimens, at least 2 of the specimens must ignite and burn the stop cord. If only 1 of 5 specimens ignites and burns in less than 4 s where the base fabric ignites or fuses test another set of 5 specimens. Compute the average time of flame spread for all 10 specimens. If 2 or more of the 10 specimens ignite and burn the stop cord, average the results from those specimens. If only 1 of the 10 specimens ignites and burns the stop cord, samples are acceptable.

Conclusion	Plain Surface textile fabric	Raised Surface textile fabric
ACCEPTABLE	Average burn time is 3.5 seconds or more	<ul><li>(1) Average burn time is 4.0 seconds or more; or</li><li>(2) Average burn time is 0–4 seconds with no base burns. Exhibits rapid surface flash only</li></ul>
NOT ACCEPTABLE	Average burn time is less than 3.5 seconds	Average burn time is less than 4.0 seconds with base burn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document, and within the limits of client's instructions from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@ggs.com

1f;f<sup>1</sup>BuildingEuropean Industria Park,No.1Shunte South Read,Wusha Section,Dalarg Town,Shunde,Fisahan,Gargotong,China 528333 t (86-757)22805888 f (86-757)22805858 www.sgsgroup.com.cn 中国・广东・佛山市順德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com




#### No. SDHL1711022919FB

#### Date: Nov.07, 2017

Page 4 of 4

Photo Appendix:



\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@gsc.com** 

1に<sup>14</sup>Building.European Industrial Park.Mo.1 Shurthe South Read, Wasta Saction, Dalara Town, Shuruke, Fashan, Guargdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgsgroup.com.cn 中国・广东・佛山市原植区大良街道办事处五沙顺和南路1号欧洲工业团一号厂房首局邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com